

[2016-New GreatExam Latest Microsoft 70-511 Exam Questions Free Downloading (121-130)]

2016 June Microsoft Official New Released 70-511 Q&As in GreatExam.com! 100% Free Download! 100% Pass Guaranteed! This dump is valid to pass Microsoft 70-511. And don't just memorize the answer, you need to get through understanding of it because the question changed a little in the real exam. The material is to supplement your studies. Following questions and answers are all new published by Microsoft Official Exam Center: (The full version is in the end of the article!!!) QUESTION 121 You are developing a Windows Presentation Foundation (WPF) application. You use the following markup segment to add a Button control to the design surface of the MainWindow.xaml file

```
<Window x:Class="Sample.MainWindow"
    xmlns="..."
    xmlns:x="...">
    <Grid x:Name="testGrid">
        <Button Command="ApplicationCommands.Copy"
            Content="Copy" />
    </Grid>
</Window>
```

www.greatexam.com

You add the following code segment to the code-behind file for MainWindow

```
CommandBinding copyCommand =
    new CommandBinding(ApplicationCommands.Copy);
copyCommand.Executed +=
    new ExecutedRoutedEventHandler(copyCommand_Executed);
this.CommandBindings.Add(copyCommand);
```

The application will be deployed in an environment that requires alternate key mappings. You need to remove the CTRL+ C input gesture and replace it with the ALT+ C input gesture. What should you do?

A. Add the following code segment to the MainWindow.xaml file.

```
<Window.InputBindings>
    <KeyBinding Key="C"
        Modifiers="Alt"
        Command="ApplicationCommands.Paste" />
</Window.InputBindings>
```

B. Add the following code segment to the constructor of MainWindow.vb

```
ApplicationCommands.Copy.InputGestures.Clear()
ApplicationCommands.Copy.InputGestures.Add(
    New KeyGesture(Key.C, ModifierKeys.Alt))
```

C. Add the following code segment to the MainWindow.xaml file.

```
<Window.InputBindings>
    <KeyBinding Key="C"
        Modifiers="Control"
        Command="ApplicationCommands.Copy" />
</Window.InputBindings>
```

D. Add the following code segment to the constructor of MainWindow.vb

```
ApplicationCommands.Copy.InputGestures.Clear()
ApplicationCommands.Copy.InputGestures.Add(
    New KeyGesture(Key.C, ModifierKeys.Control))
```

A. Option AB. Option BC. Option CD. Option D Answer: B QUESTION 122 You are developing a Windows Presentation Foundation (WPF) application that displays financial data. The following style is applied to every Label control that displays currency. (Line numbers are included for reference only)

```
01 <Style x:Key="CurrencyLabel"
02     BasedOn="{StaticResource {x:Type Label}}}"
03     TargetType="{x:Type Label}">
04     <Setter Property="Template">
05         <Setter.Value>
06
07     </Setter.Value>
08 </Setter>
09 </Style>
```

www.greatexam.com

You need to ensure that the style is updated to meet the following requirements regarding currency:- It must be right-aligned.- It

must display the number with the regional currency settings. Which markup segment should you insert at line 06?

A. `<ControlTemplate>
 <Label HorizontalA
 Content="{Bindin
 </ControlTemplate>`

B. `<ControlTemplate>
 <ContentPresenter
 ContentStringFor
 </ControlTemplate>`

C. `<ControlTemplate Tar
 <Label HorizontalA
 Content="{Bindin
 </ControlTemplate>`

D. `<ControlTemplate Tar
 <ContentPresenter
 ContentStringFor
 </ControlTemplate>`

A. Option AB. Option BC. Option CD. Option D Answer: A VB QUESTION 123 You are developing a Windows Presentation Foundation (WPF) application. The application configuration file is maintained in source control and must not be modified. You need to ensure that developers can override individual settings. Which XML segment should you use in the application configuration file?

A. `<connectionStrings configSource="user.config">
 <add name="OverrideMe" connectionString="..."
 providerName="..." />
 <add name="ShouldNotOverride" connectionString="..."
 providerName="..." />
 </connectionStrings>`

B. `<connectionStrings>
 <add name="OverrideMe" connectionString="..."
 providerName="..." lockItem="false" />
 <add key="ShouldNotOverride" connectionString="..."
 providerName="..." />
 </connectionStrings>`

C. `<appSettings configSource="user.config">
 <add key="OverrideMe" value="..." />
 <add key="ShouldNotOverride" value="..." />
 </appSettings>`

D. `<appSettings file="user.config">
 <add key="OverrideMe" value="..." />
 <add key="ShouldNotOverride" value="..." />
 </appSettings>`

www.greatexam.com

A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 124 You are developing a user control for a Windows Presentation Foundation (WPF) application. The user control contains a button. Both the user control and the hosting control must receive the button click event. You need to ensure that the user control responds to the button click event before the hosting control responds to the event. What should you do? A. Use a bubbling routed event. In the button click event handler, set the Handled property to True. B. Use a bubbling routed event. In the button click event handler, set the Handled property to False. C. Use a standard Microsoft .NET event. Set the Handled property to True. D. Use a tunneling routed event. Set the Handled property to False. Answer: C QUESTION 125 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code fragment.

```

<StackPanel
    TextBox.PreviewTextInput="StackPanel_PreviewTextInput"> <TextBox Name="TxtBoxA"/><TextBox Name="TxtBoxB"/>
    
```

<TextBox Naroe="TxtBoxC"/></StackPanel>You create an event handler named StackPanel_PreviewTextInput. You also have a collection of strings named Keywords. You need to ensure that TxtBoxA and TxtBoxB do not contain any of the strings in the Keywords collections. Which code segment should you use? A. Private Sub StackPanel_PreviewTextInput(sender As Ctoject, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(sender, FrameworkElement)If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In KeywordsIf e.Text.Contains(keyword) Then Handled = FalseReturnEnd IfNextHandled = TrueEnd IfEnd Sub B. Private Sub StackPanel_PreviewTextInput(sender As Object e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(e.Source, FrameworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In KeywordsIf e.Text.Contains(keyword) Then e.Handled = True Return End IfNextHandled = TrueEnd IfEnd Sub C. Private Sub StackPanel_PreviewTextInput(sender As Object, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(sender, FraroworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In KeywordsIf e.Text.Contains(keyword) Then e.Handled = True Return End IfNextHandled = FalseEnd IfEnd SubD. Private Sub StackPanel_PreviewTextInput(sender As Ctoject, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(e.Source, FrameworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In KeywordsIf e.Text.Contains(keyword) Then e.Handled = TrueReturnEnd IfNextHandled = FalseEnd IfEnd Sub Answer: D QUESTION 126You are developing a Windows Presentation Foundation (WPF) application. You have the following style defined in the app.xaml file.<Style x:Key="btnItalic" x:Name="styleItalic"TargetType="{ x:Type Button}">Setter Property="FontStyle" Value="Italc"/> </Style>You need to apply this style to a button named button1 in the application at run time. Which code segment should you use? A. button1.Style =TryCast(Me.FindName("styleItalic"),Style)B. button1.Style = TryCast(Me.FindName("btnItalic"), Style)C. button1.Style =TryCast(Me.FindResource("btnItalic"), Style)D. button1.Style = TryCast(Me.FindResource("styleItalic"), Style) Answer: C QUESTION 127You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. The application displays a list of books. You write the following code fragment. (Line numbers are included for reference only.)You need to ensure that book titles that are out of stock appear in red. Which code fragment should you insert at line 12

```
01 <Window.Resources>
02 <XmlDataProvider x:Key="InventoryData" XPath="Books">
03 <x:XData>
04 <Books >
05 <Book Title="XML in Action" Stock="in" />
06 <Book Title="Inside C#" Stock="out" />
07 <Book Title="Introducing Microsoft .NET" Stock="in"/>
08 </Books>
09 </x:XData>
10 </XmlDataProvider>
11 <Style x:Key="MyItemStyle" TargetType="{x:Type ListBoxItem}">
12
13 </Style>
14 </Window.Resources>
15 <ListBox ItemContainerStyle="{StaticResource MyItemStyle}">
16 <ListBox.ItemsSource>
17 <Binding Source="{StaticResource InventoryData}" XPath="Book"/>
18 </ListBox.ItemsSource>
19 <ListBox.ItemTemplate>
20 <DataTemplate>
21 <TextBlock>
22 <TextBlock.Text>
23 <Binding XPath="@Title"/>
24 </TextBlock.Text>
25 </TextBlock>
26 </DataTemplate>
27 </ListBox.ItemTemplate>
28 </ListBox>
```

www.greatexam.com

A. <Style.Triggers><Trigger Binding.XmlNainespaceManager="< Binding XPath=GStock>" Value="out"><Setter Property="Foreground" Value="Red" /></Trigger></Style.Tr iggers>B. <Style.Triggers><DataTrigger Binding="{ Binding XPath=@Stock}" Value="out"> <Setter Property="Foreground" Value="Red" /></DataTrigger></Style.Tr iggers>C. <Style.Triggers><Trigger Binding.XmlNainespaceManager="{ Binding XPath=Book@Stock>" Value="out"> <Setter Property="Foreground" Value="Red" /></Trigger></Style.Tr iggers>D. <Style.Triggers><DataTrigger Binding-"Binding XPath=Book@Stock}" Value="out"> <Setter Property="Foreground" Value="Red" /></DataTrigger></Style.Triggers> Answer: B QUESTION 128You use Microsoft .NET Framework 4 to create a Windows Presentation Framework (WPF) application. You plan to create a custom control that contains four text input fields. Each of the text input fields within the control will contain a label. You need to ensure that the text input fields within the control can be validated by using a regular expression Validator. Which class should you inherit from? A. TextBoxB. TextElementC. UIElementD. UserControl Answer: D QUESTION 129You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code

fragment. (Line numbers are included for reference only.)
01 <Canvas>
02 <Rectangle Stroke="Red" StrokeThickness="5" Height="60" Width="60" Canvas.Left="100" Canvas.Top="100">
0405 </Rectangle>
06 </Canvas>
You need to rotate the rectangle by 45 degrees by using its upper-left corner as the axis. Which code fragment should you insert at line 04? A.

- <Rectangle.RenderTransform><RotateTransform Angle="45" CenterX="0" CenterY="0" /></Rectangle.RenderTransform> B.
- <Rectangle.RenderTransform><RotateTransform Angle="45" CenterX="100" CenterY="100" /></Rectangle.RenderTransform> C.
- <Rectangle.LayoutTransform><RotateTransform Angle="45" CenterX="0" CenterY="0" /></Rectangle.LayoutTransform> D.
- <Rectangle.LayoutTransform><RotateTransform Angle="45" CenterX="100" CenterY="100" /></Rectangle.LayoutTransform>

Answer: A
QUESTION 130
You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code fragment. (Line numbers are included for reference only.) You need to ensure that both Button controls display the "Save" text. Which code fragment should you insert at line 06

```
01 <StackPanel>  
02 <StackPanel.Resources>  
03 <ControlTemplate  
04 TargetType="{x:Type Button}"  
05 x:Key="btn">  
06  
07 </ControlTemplate>  
08 </StackPanel.Resources>  
09 <Button Content="Save"  
10 Template="{StaticResource btn}" />  
11 <Button Template="{StaticResource btn}">  
12 <TextBox Text="Save" />  
13 </Button>  
14 </StackPanel>
```

www.greatexam.com

A. <TextBlock Text="{Binding}" /> B. <TextBlock Text="{TemplateBinding Content}" /> C. <ContentPresenter Content="{Binding}" /> D. <ContentPresenter />
Answer: D
About 90% questions are from this 70-511 dump. One thing you need to pay attention is the questions are rephrased in the real 70-511 exam. And btw selections are jumbled so you must remember the answer itself not the letter of choice. 2016 Microsoft 70-511 exam dumps (All 300 Q&As) from GreatExam:

<http://www.greatexam.com/70-511-exam-questions.html> [100% Exam Pass Guaranteed!!!]